



## AUTOMOTIVE AFTERMARKET REFINISHING PRODUCTS



**QUALITY**  
that **PAYS**

**NORTON**

SAINT-GOBAIN

# CONTENTS



INTRODUCTION 1



A216  
DRY SANDING ROLLS 9



MASKING  
PRODUCTS 21



A HISTORY OF  
EXCELLENCE 2



MULTI-AIR SYSTEM 10



NORTON  
PAINT SYSTEM 23



HEALTH, QUALITY, SAFETY  
& ENVIRONMENT 3



WATER PROOF  
SHEETS 13



SEALERS, ADHESIVES  
AND FILLERS 25



RESEARCH &  
DEVELOPMENT 4



SCUFFING  
SOLUTIONS 14



ACCESSORIES 26



DRY ICE A975  
VELCRO DISCS 5



TOP COAT  
DEFECT REMOVAL 16



DRY SANDING  
TOOLS 28



A275 ORIGINAL  
PERFORMANCE  
VELCRO DISCS AND  
BODY FILE SHEETS 7



RAPID STRIP DISCS,  
PAINT STRIPPING  
DISCS 19



PRODUCTS  
AT-A-GLANCE 29



BLUE FIRE  
VELCRO DISCS AND  
BODY FILE SHEETS 8





Saint-Gobain is a global manufacturer and provider of high-technology materials and associated services. Abrasives forms one key part of the Innovative Materials Division of Saint-Gobain, which is one of the four key areas of activity in which Saint-Gobain operates. The other three sectors of activity are Construction Products, Building Distribution and Packaging.

## SAINT-GOBAIN AT A GLANCE

- € 42 billion turnover
- >1000 consolidated companies in 64 countries
- Over 195,000 employees
- 12 research centres and 101 development units

A world leader in Glass, Housing Products & High Performance Materials with the mission to be No. 1 or 2 in each of its industries.

Saint-Gobain Abrasives is one of the only international manufacturers to produce each of the three major abrasive types : bonded, coated and super abrasives.

## SAINT-GOBAIN ABRASIVES

Saint-Gobain Abrasives invests time and resources to understand and fulfill evolving customer needs. This is reflected in world-wide status as market leader. With a strong presence in every continent, the Abrasive division serves customers through organizational units in 28 countries and employs nearly 16,000 people. It is the only international manufacturer to produce each of the three major types of abrasives: bonded abrasives (resinoid and vitrified), coated abrasives and super abrasives (diamond) products. The Abrasives business is committed to expanding technology and developing complete and innovative product lines, with an irrefutable reputation for quality and safety.



**In the mid 19<sup>th</sup> Century, a group of ceramists and entrepreneurs in Worcester, Massachusetts, USA, set out with a goal : meet the growing need of the burgeoning U.S. manufacturing industry, which needed an ever increasing supply of grinding wheels to build and maintain machinery.**

## ABOUT THE NORTON BRAND

For over 110 years, the Norton brand has been dedicated to providing innovative abrasive products and solutions to our customers. Whether sanding furniture, finishing a turbine blade or slicing a semiconductor component, if you are using abrasives, we have the product and the know-how. Today, Norton manufactures and distributes the widest range of abrasives and related products to many different markets.

As the premium brand within the portfolio, Norton supports major markets including metal working, automotive manufacturing, automotive aftermarket, aerospace, wood working, bearing, foundries, DIY, housing & construction, and paint & decoration market.

Norton is the world leading supplier of bonded abrasives, with more than 250,000 types and sizes, both stock and custom-designed products for specific applications. We are also a leading manufacturer of coated abrasive products, offering more than 38,000 types of coated products with a variety of abrasive grains and backings. With over 50 years of industry leadership in diamond and CBN experience, we can meet customer needs for part tolerance, higher quality finishes and greater productivity.

The dedicated people of Norton have a history and culture of providing innovative solutions for the many challenges faced by industries.

Our dedication to our business and customers ensures we will continue to be a global leader by providing value to you, our customer.

## THE NORTON BRAND HISTORY

Norton started as a pottery business in 1858 in Worcester, Massachusetts, USA. By 1876, they were manufacturing grinding wheels, having a patent for vitrified wheels, with customer demands flourishing. In 1885, the Norton Emery Wheel Company was founded commanding 1.5 million square feet of manufacturing space.

Throughout the 20th century, Norton continually grew its abrasive range and became established world-wide: Germany (1910), France (1920), UK (1930), Italy (1935), Brazil (1956), India (1968), Japan (1972)... By 1950, Norton was the leading world-wide abrasive brand.

Through continual improvement, product excellence and a drive for innovation, Norton continues today to be the world leader in abrasives - a brand synonymous with quality and cutting edge technological solutions.

- Annual world-wide turnover € 1.25 Billion
- 45 manufacturing sites
- Over 60 sales offices across 28 countries in 5 continents



**Health, safety, quality and the environment play a key role at Saint-Gobain Abrasives. Every day we are actively committed to pursuing an ambitious program to implement our values throughout our organisation.**

Our customers are our priority and this is reflected in our products. Norton products are designed and produced to the most stringent quality standards to guarantee optimum personal safety and user comfort. In addition, new products are designed with end user working conditions considered as priority. Multi-Air is an excellent example of an innovative environmental solution protecting the user from dust, and creating a cleaner working environment while reducing abrasive consumption.

Saint-Gobain Abrasives also has an active role to promote these values and conforms to all world-wide quality, safety & environmental federations.

Norton products are designed and produced to the most stringent quality standards to guarantee optimum personal safety and user comfort.

## **FEPA**

Dedicated to the promotion of safety in use of abrasives and is actively involved in the preparation and implementation of the European (EN) and International standards.

## **EN12413 / EN13743 / EN13236**

Safety certification for bonded, coated and superabrasives.

## **ISO9001**

Certified Quality Management system is in accordance with requirements of quality standards.

## **ISO14001**


Certified Environmental Management system is in accordance with requirements of quality standards.

## **OHSAS18001**

Health & Safety at work certification.

## **oSa**

Enhanced application safety for the user.



Norton is recognized for the innovative nature of its products. Our research and development is constantly driven to improve our portfolio of products, by finding solutions to increase productivity and efficiency, always considering safety and the environment.

Every year, significant investment is made in R&D, with committed staff working in special development units, located throughout Europe and the world. Reactivity and flexibility are key within our corporate R&D strategy, enabling us to react to changing or new technologies and the development of advanced solutions.

## AUTOMOTIVE AFTERMARKET

As one of the leading manufacturers in the automotive refinishing sector, Norton is committed to the manufacturing and distribution of a wide range of non-paint products for the professional body shop.

The combination of high quality products, vast experience and knowledge of professional sanding systems – from paint removal to surface reconditioning and polishing – allows us to meet virtually all customer demands.

**By setting the standards each and every day, we will continue in the future to be the leader in providing sanding solutions for individual operations and complete processes for specialized applications.**

It is our aim to provide optimal abrasive solutions to meet the body-shop technician needs:

- Through innovation and development
- By developing complete application and process solutions for a constantly evolving automotive refinishing market
- By supplying the highest quality standards
- By commitment to safety: man and environment first

This catalogue reflects our full range of abrasives for the Automotive Aftermarket, providing a unique, professional and complete sanding solution.

In addition to this, our product ranges include various sanding accessories and complementary products.



**TAKE SANDING TO THE NEXT LEVEL**

Utilizing Norton patented SG ceramic grain, Norton Dry Ice A975 offers the technician a faster cutting product that significantly out-performs and outlasts conventional abrasives. A water-based stearate No-Fil coating provides maximum load resistance, further extending the life of the product.

The incredible versatility of Norton Dry Ice A975 is perfect for refinishing any job, including those that contain scratch-resistant clears and E-coats, composites and aluminum, eliminating the need for specialty products.





**Patented SG ceramic grain**

**Unique fiber reinforced latex/paper backing**


**Superior cut on abrasion resistant paints and clears**

**FEATURES**

- Patented Norton SG ceramic grain
- Unique fibre reinforced latex/paper backing
- Water-based stearate (No-Fil)

**BENEFITS**

- Superior cut on abrasion-resistant paints and clears
- Quicker/cooler cut with better longevity
- Flexible and easy removal from back up pad with maximum tear resistance
- Increased durability
- Improves load resistance
- Extends life



**NORTON MULTI-AIR**

Norton Dry Ice A975 Velcro discs with patented Norton SG ceramic grain are ideal for hard-to-sand and self-healing clears. Norton Multi-Air discs provide maximum dust extraction. Norton Dry Ice A975 also works well on composite material, aluminum, and other difficult-to-sand surfaces.



GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
P600	VM28	80899715122	400
P400	VM27	80899714122	400
P320	VM26	80899711122	400
P180	VM22	80899710122	400
P150	VM25	80899708122	400
P120	VM23	80899707122	400
P80	VM21	80899701122	400







**Premium heat-treated grain**

**B-weight fiber reinforced latex/paper backing**

**Anti-loading**

**FEATURES**


**BENEFITS**

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>■ Premium heat-treated grain</li> <li>■ Premium B-weight latex fiber reinforced paper backing</li> <li>■ Superior bond system</li> <li>■ Water-based stearate No-Fil</li> </ul> | <ul style="list-style-type: none"> <li>■ 30% – 50% faster cut rate</li> <li>■ Extended life</li> <li>■ Tear resistant</li> <li>■ More flexible</li> <li>■ Easier disc removal from back up pad</li> <li>■ Optimizes grain adhesion</li> <li>■ Extends cut life</li> <li>■ Improves load resistance</li> <li>■ Extends cut life</li> </ul> |
|--|---|



**VELCRO DISCS**


A275 Velcro Discs provides cooler cutting action and a finer finish.



GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
P400	VDR26	80869715122	200
P320	VDR25	80869714122	200
P240	VDR30	80869712122	200
P220	VDR24	80869711122	200
P180	VDR23	80869710122	200
P150	VDR22	80869708122	200
P120	VDR21	80869707122	200
P80	VDR20	80869701122	200

**BODY FILE SHEETS**

These body file sheets are a popular choice for dry sanding paint, primer, and primer surfacer. These are also used for deburring, removing sand scratches, shaping and finishing plastic filler as well as feather-edging repaired areas.



GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
P180	AV45	80959710122	50
P120	AV43	80959707122	50
P80	AV41	80959701122	50



**Premium  
NorZon grain**

**Durable  
E-weight latex/  
paper backing**


**Phenolic resin  
bonding agent**

**FEATURES**

- High-strength blue latex paper backing
- NorZon zirconia alumina grain
- Superior bond system

**BENEFITS**


- Improves performance and flexibility
- Reduces curling and edge chipping
- Self-sharpening
- Improves cut rate
- Minimizes heat
- Optimizes grain adhesion
- Extends product life



**VELCRO DISCS**

Norton BlueFire H835 discs are ideal for sanding body filler. NorZon grain micro-fractures to improve cut rate, minimize loading and reduce heat.

VELCRO	6" 6 Hole		
GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
80	VDR105	80909701122	100



**BODY FILE SHEETS**

Self-sharpening NorZon grain improves cut rate, minimizes loading, and reduces heat. Tough E-weight latex reinforced paper backing resists tearing. Norton BlueFire is ideal for sanding body filler.

VELCRO	70mm x 420mm Sheets		
GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
180	ZVS46	80969710122	100
120	ZVS43	80969705122	100
80	ZVS42	80969701122	100
40	ZVS44	80969707122	100

VELCRO	70mm x 198mm Sheets		
GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
180	ZVS56	80989710122	100
120	ZVS53	80989705122	100
80	ZVS52	80989701122	100
40	ZVS54	80989707122	100



**Aluminum Oxide grain**


**Strong paper backing**

**Anti-loading**

**FEATURES**


**BENEFITS**

- |   |  |
|---|--|
| ■ FEPA graded premium AIO grain             | ■ Produces a quick, cool cut                 |
|   | ■ Produces a more consistent scratch pattern |
| ■ Strong D-Weight paper backing             | ■ Resists tearing                            |
|   | ■ Conformable and flexible                   |
| ■ Non-loading formulation, Bond impregnated | ■ Resists loading                            |
|   | ■ Increases productivity                     |



**4" PAPER ROLLS**

GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
180	AR313	53429710122	6
120	AR312	53429707122	6
80	AR311	53429701122	6



**4.5" PAPER ROLLS**


GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
180	AR303	80829710122	6
120	AR302	80829707122	6
80	AR301	80829701122	6





**THE NORTON MULTI-AIR PROCESS**

The patented Norton Multi-Air process uses an optimised pattern of holes to eliminate dust while increasing the abrasive surface area used for cutting. Norton Multi-Air is able to improve productivity by 35% versus traditional vacuum sanding and by 60% versus non-vacuum sanding. It's simple, if you keep the abrasive grain exposed to cut through paint, primer and body filler by continually removing the dirt that can clog paper and leave wild scratches, you will cut faster and the sandpaper will last longer. Bottom line, the job gets done faster and costs less with Norton Multi-Air.





**Elimination of dust for full visual control of the work surface**

**Reduce contaminants for a cleaner working environment**

**Ideal for shops using waterborne paints**

**FEATURES**

- Revolutionary design for maximum vacuum assist
- Cutting surface remains clean
- Premium abrasive grain
- SoftTouch discs in fine grits

**BENEFITS**


- 30% increase in dust extraction
- Clogging is virtually eliminated
- Cleaner working environment
- Less dust and contamination in the shop
- 35% increase in productivity vs. traditional vacuum systems
- No clogging
- Consistent cut throughout the life of the disc
- Substantially longer life and faster cut than conventional abrasives
- Sand over contours without cutting through



**6" BLUEFIRE VELCRO**

Norton BlueFire Velcro discs last long and cut quickly, using premium zirconia grain which microfractures to remain sharp and fast cutting.

GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
80	VM101	80919701122	200



**6" SOFT TOUCH FOAM VELCRO**

Norton A975 Velcro discs on a durable foam allows for contour sanding without cutting through. Discs are color-coded to properly identify grit.

GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
P500	VMS33	80889716122	80
P400	VMS32	80889715122	80
P320	VMS31	80889714122	80



**NORTON MULTI-AIR BACK-UP PADS**

Innovative design for optimal air flow and powerful dust extraction. Medium pads have been engineered with a durable, heat-resistant plastic, a molded-in 5/16"-24 spindle and longer hooks. Interface pads are also available in Multi-Air designs to improve surface finish and cut rate when using fine grit discs

DESCRIPTION	SIZE	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Back-Up Pad	6" MULTI-AIR	BZ1068	53369724122	10
Interface Pad	6" MULTI-AIR	BZ1072	53389724122	10



**Premium abrasive grains for the ultimate cut**

**Reduce contaminants for a cleaner working environment**

**Virtually no clogging**

**FEATURES**

- Revolutionary design for maximum vacuum assist
- Cutting surface remains clean
- Premium abrasive grains

**BENEFITS**

- Clogging is virtually eliminated
- Cleaner working environment
- Less dust and contamination in the shop
- Consistent cut throughout the life of the body file sheet
- No clogging or loading
- Substantially longer life and faster cut than conventional abrasives

**BODY FILE SHEETS**

Norton Dry Ice A975 Ceramic grain and Norton BlueFire H835 Zirconia grain on a reinforced backing with hook and loop attachment which lasts extra long without generating heat. Ideal for sanding body filler.

GRIT	CAP CODE	70mm x 420mm Sheets		70mm x 198mm Sheets		MOQ
		NORTON ITEM CODE	PPG APL SKU CODE	NORTON ITEM CODE	PPG APL SKU CODE	
P180	A975	ZVS46	80979710122	ZVS56	80999710122	100
P120	H835	ZVS44	80969707122	ZVS54	80989707122	100
P80	H835	ZVS42	80969701122	ZVS52	80989701122	100
P40	H835	ZVS43	80969705122	ZVS53	80989705122	100



**NORTON MULTI-AIR HAND BLOCKS**

The ergonomic dust free hand blocks are easy to hold and move in any position. Each block comes with a regulator adapter to control air flow and a reducer to connect to a standard vacuum hose line.

70mm x 420mm		
NORTON ITEM CODE	PG APL SKU CODE	MOQ
HBS7	53039724122	1

70mm x 210mm		
NORTON ITEM CODE	PG APL SKU CODE	MOQ
HBS8	53049724122	1



**NORTON MULTI-AIR TUBE AND UNIVERSAL CONICAL ADAPTER**

The 4 meter (13') hose extension tube with conical adapter is a universal fit for any central or any portable vacuum system.

4 METERS			
DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Hose	AS24	53289724122	1

# WATERPROOF SHEETS



**Premium  
abrasive grain**

**Flexible,  
specially treated  
backing**

**Consistent finish  
is easy to buff**

## FEATURES

- Specially treated waterproof paper
- Premium abrasive grain
- Flexible backing
- Advanced coating process

## BENEFITS

- Curl resistant
- Will not deteriorate
- Fast cut, long life
- Resists cracking and tearing
- Resists wrinkles
- Consistent scratch pattern
- Bufs out faster

## WATERPROOF SHEETS

Norton Waterproof Sheets works great wet or dry and gives the same cut no matter how you use it. Norton Waterproof Sheets has curl resistance built right in so it stays flat and will not deteriorate.



9" x 11" T478 Water Proof Paper			
GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
800	BWP63	80779718122	500
600	BWP62	80779717122	500
400	BWP60	80779715122	500
320	BWP59	80779714122	500
220	BWP56	80779711122	500
180	BWP55	80779710122	500
150	BWP54	80779708122	500
120	BWP53	80779707122	500
100	BWP52	80779706122	500
80	BWP51	80779701122	500

9" x 11" T401 Micro Fine Water Proof Paper			
GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
2000	BWP30	53439723122	200
1500	BWP29	53439721122	200
1200	BWP28	53439720122	200
1000	BWP25	53439719122	200





**Consistent cut and no wild scratches**

**Strong, yet flexible**

**FEATURES**

- Advanced resin formulation
- Consistent grain sizing
- Consistent grain distribution throughout thickness

**BENEFITS**

- Evenly coats the fibers allowing for a more consistent cut
- Added strength and resists tearing
- No wild scratches
- Uniform scratch pattern
- Consistent cut for full use of scuff pad
- Longer life

GRIT	GRIT
<b>Maroon (320/400)</b>	<b>Gray (600/800)</b>
<ul style="list-style-type: none"> <li>■ Quick and aggressive cut</li> <li>■ Tear-resistant</li> </ul>	<ul style="list-style-type: none"> <li>■ Works with or without Scuff Gel</li> <li>■ Quick cut, uniform finish</li> <li>■ Incredibly flexible yet tear-resistant</li> </ul>

6" x 9" PAD

COLOR	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Maroon	HX13	53249734122	100
Gray	HX01	53249731122	100



**SCUFF GEL**

Formulated for consistent abrasion for paint adhesion. Use with Norton Bear-Tex gray pads. Cleans, degreases and abrades in one step. Rinses off easily and completely. Water-based formula, very low in V.O.C.

DESCRIPTION	SIZE	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Scuff Gel	600 gms	VD1	53199724122	6





**Uniform finish**

**Can be used moist or dry**

**Conformable foam backing**

**FEATURES**

- Norton A275 on foam backing
- Water resistant
- Uniform finish


**BENEFITS**

- Perfect for hand sanding primer without leaving finger marks
- Fast cut and long life without loading
- Eliminates finger marks
- Ideal for waterborne
- Can be used moist
- Minimize "difficult to cover" sand scratches that prove challenging for waterbase paints



**ROTOLO FOAM**

Rotolo Foam pre-cut sheets, conveniently packaged in a roll form, are ideal for fine sanding on round edges, contours and curves, providing an outstanding finish on primers and top coats. Perforated every 5-1/2", width of roll is 4-1/2".



115mm x 25M Roll

GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ	GRIT	APPLICATION
P320	AR201	53419714122	1	P320, P400	Feather-edge, scuff primer, scuff new parts before painting
P400	AR202	53419715122	1		
P600	AR203	53419717122	1	P500, P600	Prepare panel for base coat



**SOFT TOUCH SPONGES**

The finishing action of sponges generates a finer finish than conventional coated abrasive products. These pads generate a finish corresponding to coarse or fine grits based on whether the pad is used dry or wet respectively. The coarser grit is the finish achieved when sanding dry and the finer grit is the finish achieved when sanding wet as indicated in the table below.

**FEATURES**

- Abrasive grain coated on a sponge backing
- Grit printed on the back of each sponge
- Highly conformable

**BENEFITS**

- Can be used wet or dry
- Eliminates finger marks
- Conformable to all shapes
- Generates a uniform finish
- Easily identify the right product to use
- Ideal for bumpers, jambs and small parts
- Great on contours and edges

GRIT DESIGNATION	FINISH GENERATED	APPLICATION
Medium	P180/P120	Scuff, shaping filler
Fine	P400/P320	Feather-edging, scuffing primer, scuffing new parts before painting
Super Fine	P600/P500	Preparing panel for base coat
Ultra Fine	P1000/P800	Sanding base coat, removing clear coat defects
Micro Fine	P1500/P1200	Clear coat sanding, removing minor defects

4-1/2" x 5-1/2" x 3/16" Pads

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Medium	ST1		80
Fine	ST2		80
Super Fine	ST3		80
Ultra Fine	ST4		80
Micro Fine	ST5		80



**NORTON DRY ICE VELCRO FINISHING FILM DISCS**

Norton Dry Ice Velcro Finishing Film Discs are the most technologically advanced discs on the market today. A superior grain on a super smooth film backing provides an incredibly fast cut that simply doesn't load so there are no "pigtailed" that take extra time to buff out.

Defect removal

Premium aluminum oxide grain

Smooth film backing

**FEATURES**

- Smooth film backing
- Premium aluminum oxide grain
- Anti-loading agent

**BENEFITS**

- Consistent finish that buffs out easily and quickly
- Fast cut and long life
- Less downtime switching discs
- Eliminate pigtailed and costly re-work
- Uniform finish that buffs out faster



GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
P1200	VDR130	53219720122	50
P1000	VDR129	53219719122	50



**NORTON ICE VELCRO FINISHING FOAM DISCS**

Norton Ice Finishing Foam discs, used moist, will produce a semi-polished surface which greatly reduces buffing time.

Scratch refinement

Foam backing

Buffers out easily

**FEATURES**

- Integrated foam backing
- Produces a semi-polished finish

**BENEFITS**

- Eliminate pigtailed and costly re-work
- Conformable to contours
- Quick and easy to buff out



GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
P3000	VDR155	53239730122	60
P2000	VDR154	53239723122	60
P1500	VDR153	53239721122	60



**NORTON** *LIQUIDice*  
SAINT-GOBAIN

Water soluble

Easy clean up

No cross contamination

**FEATURES**

- Complete system
- Multiple offerings
- Premium micro-fine abrasives

**BENEFITS**

- VOC compliant
- Very easy to clean up
- Simple system that's easy to use
- The polish matches the cut of the pad for optimal performance
- Removes swirl marks and haze
- Removes sand scratches quickly

**NORTON LIQUID ICE SUPER CUT**

Use on its own for scratch removal to eliminate swirl marks and produce a high gloss finish. Ideal for dark colored vehicles, giving best in class finish on all paint systems.



DESCRIPTION	WEIGHT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Norton Liquid Ice Super Cut	1 kg	LE32	53069724122	6

**NORTON LIQUID ICE 1STEP RUBBING COMPOUND**

Norton Liquid Ice 1 Step Rubbing Compound is easy to use and easy to clean up. Norton Liquid Ice is engineered to be used with different types of pads, depending on the finish required.



DESCRIPTION	WEIGHT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Norton Liquid Ice 1 Step Rubbing Compound	1 kg	LE5A	53559724210	4
Norton Liquid Ice 1 Step Rubbing Compound	100 g	LE41A	53499724122	48

**NORTON REVOLUTION FAST CUT CREAM**

General use paste type compound. One-step system provider a fast cutting action and a high gloss finish. Use with water for optimum performance.



DESCRIPTION	WEIGHT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Norton Revolution Fast Cut Cream	1 kg	LE13	53539724210	12
Norton Revolution Fast Cut Cream	2.5 kg	LE14	53539724225	4
Norton Revolution Fast Cut Cream	100 g	LE21A		48

**TECH TIP** Shake liquid product before use for consistency.



**NORTON GLOSSY FINISHING POLISH**

PTFE polish produces high gloss with easy application. Restores original colour and provides durable finish. For use by hand or by machine (700-1800 rpm).

DESCRIPTION	WEIGHT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Norton Glossy Finishing Polish	945 ml	LEP1	53099724122	4



**NORTON LIQUID ICE WAX**

Norton Liquid Ice Wax shields the surface from environmental conditions and gives a long wet look finish. It contains a sufficient amount of polishing minerals to eliminate small paint defects as well.

DESCRIPTION	WEIGHT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Norton Liquid Ice Wax	1 L	LE19A	53549724210	6
Norton Liquid Ice Wax	100 ml	LE11A	53549724110	24



**DETAILER SPRAY AND MICROFIBER CLOTH**

The detailer spray easily cleans up excess buffing residue and provides paint protection. Just spray it on and wipe it off with a Norton Blue Magnet microfiber cloth.

DESCRIPTION	SIZE	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Detailer Spray	945 ml	VD2	53209724122	4
Blue Magnet Microfiber Cloth	400 mm x 400 mm	LPM1	53149724122	20



**BUFFING/POLISHING PADS**

These pads are engineered to work with Norton compounds and polishes to achieve the optimal cut in the least amount of time while producing the best finish. For small spot repair areas, the 3" pads work just the same as the larger pads with Norton compounds and polishes.

DESCRIPTION	SIZE	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Foam Pad - Blue	8"	LL2	53119724122	6
Foam Pad - White	8"	LL3	53129724122	6
Waffle Foam Pad - Black	8"	LL31	53489724122	10
Single Sided Twisted Wool Pad - Bodyshop	7.5"	LL7	53109724122	12
Double Sided Twisted Wool Pad - Bodyshop	7.5"	LL8	53139724122	6

**TECH TIP** Shake liquid product before use for consistency.

**NORTON**


SAINT-GOBAIN®


# RAPID STRIP

## PUT YOUR CLEAN-UP PROBLEMS BEHIND YOU! REACH FOR NORTON RAPID STRIP DISCS

Norton Rapid Strip discs can handle all your tough stripping jobs. The robust discs work wonders on all kinds of surfaces - on rust spots, hard- to-reach areas, wheel wells, under the hood, in truck beds, door jambs, and under carriage areas. Or, try its fast, aggressive action on undercoatings, pinch welds or drip rails. It won't quit, load, fray or tear.

So, why spend more time on surface prep than you have to? When the going gets tough, reach for Norton Rapid Strip.





**Extra-coarse  
Aluminium Oxide grain**

**Tough synthetic  
fibers**

**Aggressive  
cut**

**FEATURES**

- Open web construction
- Synthetic web impregnated with abrasive
- Thick and durable

**BENEFITS**

- Resists loading
- Great alternative to wire brushes
- Effective on sharp, jagged surfaces
- Will not rust
- Extended product life

**NORTON RAPID STRIP DISC**

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Rugged design provides long life and continuous cutting action. Available in designs for mounting on Angle Grinders and Speed-Lok Grinders.

DIAMETER	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
100mm	BD294B	53259724122	10
125mm	BD295	53269724122	5



**NORTON BLAZE SPEED-LOK TR DISCS**

Norton Blaze self-sharpening design is ideal for high-pressure, heavy metal removal applications.

**Premium  
performance abrasives**

**Easy twist-on /  
twist-off system**

**Rugged backing  
for extended life**

**FEATURES**

- Premium SG ceramic grain
- Grinding aid coating
- Heavy duty backing

**BENEFITS**

- Aggressive cut
- Self-sharpening for consistent cut and long life
- Minimal loading
- Long life
- Burn free grinding of heat-sensitive materials
- Long life
- Reduced edge wear



**2" TR**

GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
80	SLT6	53349701122	50
60	SLT5	53349704122	50
36	SLT4	53349702122	50



**3" TR**

GRIT	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
80	SLT3	80939701122	50
60	SLT2	80939702122	50
36	SLT1	80939704122	50



**SPEED-LOK BACK-UP PADS**

Speed-Lok TR are compatible with similar competitive attachment systems.

DIAMETER	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
3"	BZ131	53459724122	5
2"	BZ1012	53469724122	5



## NORTON AUTOMOTIVE MASKING TAPE

Norton masking tape goes on easy, sticks fast, and holds tight. It conforms easily to contours and irregular surfaces. There is no bleed-through or flaking upon removal.

**Quick stick and stays in place with no lifting or roll-back**

**Leaves no residue**

**Conforms to irregular surfaces**

### FEATURES

- Rubber-based adhesive
- Saturated crepe paper

### BENEFITS

- Superior quick stick
- Stays in place
- Easily removed without adhesive transfer
- Conforms to curved surfaces without lifting or tearing
- Resists moisture and solvents
- No bleed-through
- No curling edges or roll-back

NORTON ITEM CODE	PPG APL SKU CODE	SIZE ( W x L )	MOQ
MT70	53169728122	24mm x 30M	144
MT73	53169729122	48mm x 30M	72

## PREMIUM TRIM PERFORATED MASKING TAPE

This premium automotive trim masking tape is designed to lift the molding from the surface that is being painted. This allows paint coverage under the molding.

DESCRIPTION	SIZE ( W x L )	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Perforated Trim Tape	50mm x 30M	MT100	53179724122	10

## FOAM MASKING TAPE

Easy-to-use, time-saving products to mask door jambs and other apertures like hood and deck lid openings that need to be sealed during the painting process. The Premium Foam Masking Tape features a semi-split design and offset adhesive to ensure a soft paint edge.

DESCRIPTION	SIZE ( W x L )	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Foam Masking Tape	13mm x 50M	MT101	53189724122	1


## FINE LINE TAPE

Fine Line Tape adheres and conforms easily to contours and irregular surfaces. This tape's unique thinness allows for minimum edge build-up and leaves no residue when removed.

Resistant to temperatures up to 80°C.

- “Pucker-free” cornering
- Straight edges on long runs
- Stays in place
- No curling edges or rollback

DESCRIPTION	SIZE ( W x L )	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Fine Line Tape	9mm x 33M	MT104	53519724122	10



**NORTON PLASTIFILM**

Paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected.


**Paintable** | **Corona-treated so paint will not flake off** | **Excellent cling**

**FEATURES**

- Tri-layer paintable sheeting
- Corona-treated
- 3-ply resin
- Plastic


**BENEFITS**

- Clings
- Easy to handle – fast application
- Clings after repositioning
- Paint won't flake off
- Resists tearing
- Resistant to solvents
- No bleed-through



4 m x 120 m


DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Norton Plastifilm	BS6	53509724122	1



**NORTON MASKING PAPER**

Norton masking paper is custom treated so paint won't flake off and protects against bleed-through.

All SKU's of length 200 m.



	18"	24"	36"	MOQ
<b>NORTON ITEM CODE</b>	MP15A	MP16A	MP17A	1
<b>PPG APL SKU CODE</b>	53159725122	53159726122	53159727122	1



**NORTON MASKING DISPENSER**

Specially designed dispenser that accommodates your masking rolls. These dispenser helps you to improve speed of masking operation while keeping the shop floor clean and organised.

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Norton Masking Dispenser	AS20	53279724122	1





## NORTON PAINT SYSTEM

The most effective and productive solution for preparing, mixing and spraying paints. Providing a faster and cleaner solution, the Norton Paint System saves on cleaning time and solvent usage.

This system allows paint to be stored and reused and enables the operator to paint in all positions, even upside down - without any risk of the paint leaking. The easy to assemble system ensures a consistent spray pattern, convenient storage of paint as well as easy and clean disposal of the entire unit.

A complete range of products and accessories are also available.



## NORTON DISPOSABLE KIT

Each kit comes with lids containing 190 micron or 125 micron mesh, lids, liners, rings and plugs.

Two different kits are available with different mesh weights built in to the filter inside the lids. Refer to the paint manufacturer's recommendation for the correct filter mesh.

DESCRIPTION	SIZE	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Disposable Kit 125 micron	750ml	*		48
Disposable Kit 190 micron	750ml	*		48



## NORTON REUSABLE HARD CUP

The reusable mixing cup has preprinted mixing ratio scales for greater convenience.

DESCRIPTION	SIZE	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Reusable Hard Cup	750ml	*		2

## Adapters For Paint Guns

BRAND	MODELS	ADAPTER	
Accuspray	Issac	7A	Female 3/8 Net.18 (BSP)
Airgunsa	AZ40 THE	8A	Male 12mm Net.1.0mm
Asturo	OM Green	6A	Male 1/4 Net.19 (BSP)
DeVilbiss	PRI, GTI, GTI pro, GFG, GFV, GFHV 510	15A	Male 3/8 Net.19 (BSP)
	SRI Minigun	14A	Male 7/16 Net.14 (UNC)
Eminent	E13	6A	Male 1/4 net.19 (BSP)
IWATA	W400, WR400, LPA94, VXL Primer Gun, LPH400, L PH440	2A	Female 16mm Net.1.5mm
	W300, LPH300	6A	Male 1/4 Net.19 (BSP)
Kremlin	M 21 G	6A	Male 1/4 Net.19 (BSP)
Sagola	475 Mini-Gun	12A	Male 10mm Net.1.0mm
	403G, 433G, 434G, 444G, 450G, 4100G, 4200G, 4300	5A	Female 12mm Net.1.5mm
SATA	SATA jet 2000HVLP w/o QCC, SATA jet RP w/o QCC	9A	Male 16mm Net.1.5mm
	SATA LM2000 HVLP/RPP, SATA KLC HVLP/RPP, SATA KLC P, SATAjet 90	9A	Male 16mm Net.1.5mm
	SATA jet B, SATAjet B NR92, SATA jet B NR95 HVLP	2A	Female 16mm Net.1.5mm
	SATA LM B 92	5A	Female 12mm Net.1.5mm
	SATA minijet, minijet 2, 3, 4	12A	Male 10mm Net.1.0mm
Sharpe	GT1, Platinum, Titanium, Cobalt, SGF 98	11A	Male 3/8 Net.18 (NPS)
Walcom	FX GEO, FX HLVP	8A	Male 12mm Net.1.0mm
	Touch-Up Gun STM HLVP	22A	Male 8mm Net.0.75mm
	Suction guns	16A	Female 3/8 Net.19 (BSP)
SATA	SATA 3000		5A to be used with quick connect

*\*Item Code available on request*



## URETHANE WINDSHIELD SEALER

A primerless to glass, one part urethane adhesive sealant for windshield and backlite installations.

Easyhandling, fast-set properties, excellent shelf life. Passes FMVSS tests.

DESCRIPTION	SIZE	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Urethane Windshield Sealer	300ml	GC19		12



## QUICK-SET SEAM SEALER

Quick-Set Seam Sealer can be used to seal any body seam against moisture or dust and to finish skin panels. Outstanding toolability. Remains flexible when dry. Excellent adhesion to numerous substrates.

DESCRIPTION	SIZE	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Quick-Set Seam Sealer	300ml	GC20		12



## NORTON REVOLUTION BODY FILLER

Norton Revolution Body Filler provides filling, smooth spreading and easy leveling properties. It offers excellent featheredge adhesion to bare and galvanized steel.

DESCRIPTION	SIZE	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Norton Revolution Body Filler	1kg	BY2		4





### VELCRO HAND BLOCKS - HARD, MEDIUM DENSITY

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. Works with standard Velcro sheets.

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Velcro Hand Block	HBS102	53449724122	5



### VELCRO HAND BLOCK

The Velcro Hand Block has a lightweight, rugged design. This is designed to be used with 70 mm x 420 mm velcro sheets.

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Velcro Hand Block	HBS10	53059724122	1



### FOAM INTERFACE PAD

Designed for use with fine grit Velcro sanding discs. Improves both surface finish and cut rate. Use with Velcro Disc Back-Up Pads.

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
6" Foam Interface Pad	BZ1059	53379724122	5



### NORTON TACK CLOTHS

A specially formulated soft cloth that effectively removes dust, dirt, and sanding residue. It contains no waxes or silicones and is compatible with all paints. This cloth will not dry out and is always soft and tacky. It is spontaneous combustion proof, non-toxic and anti-static.

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Tack Cloth Regular	LPT1A		50
Tack Cloth Premium	LPT1	53529724122	48



The new range of personal protection equipment is designed to provide the highest standard of protection in the workplace.

Our approach to safety in the workplace is taken very seriously and products are designed to the most rigorous standards to guarantee optimum personal safety and user comfort.

### DUAL CARTRIDGE RESPIRATOR MASK

State-of-the-art design, performance and comfort.

**FEATURES**

- Soft, non-allergic material
- Patented hygienic form guard
- Low profile cartridge
- Cradle suspension and adjustable head straps

**BENEFITS**

- Smooth and comfortable on the face
- Maintain shape and cleanliness after use
- Improved vision
- Proper and comfortable fit

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Dual Cartridge Mask	AS70	53319724122	1



### PARTICULATE FILTER PAD REPLACEMENT

Use with the Dual Cartridge Respirator mask to protect against dust and gases. Filter replacement pads are low maintenance and can be frequently replaced to prevent replacing the mask itself.

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Particulate Filter Pad	AS71	53229724122	12



### SAFETY GLASSES

Ideal for general purpose applications protects from dust and paint particles.

**FEATURES**

- Frame & lens marking

**BENEFITS**

- Quality & safety assurance

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Safety Glass	AS73	53339724122	10





## DUAL ACTION SANDER

This 3-in-1 Palm Sander is designed to be used with Central Vacuum, Self Vacuum and Non-Vacuum sanding. Tool is ideal for swirl-free finish sanding, body work and wood work. With 12,000rpm the tool offers the necessary power, performance and portability needed for industrial use. The tool's compact, low profile, lightweight composite body is durable and ergonomically designed for maximum control and user comfort.

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Dual Action Sander	AS40	53309724122	1



## DUST EXTRACTION TROLLEY

The Forbes-Pro Quick P 60P advanced dust extraction system designed to connect pneumatic sanders for sanding application. The high filtration is provided for optimum extraction of fine dust for all sanding operations.

Design features & benefits:

- Container in HDPE – Rot mould, flexible, light weight for easy transportation.
- Pneumatic valve with 2 female connections mounted on top for fast connections.
- Three stage filtration ensures high efficiency of the vacuum unit
- All filters are of 'M' class category.
- Operation both manual & automatic mode can be used during pneumatic & electric or manual sanders.
- Push button for external filter cleaning to maintain vacuum power.
- Brass couplings prevent for corrosion, long lasting.
- Large cartridge filter for higher filtration efficiency.
- Standard trolley given at rear side for tools placement.

DESCRIPTION	NORTON ITEM CODE	PPG APL SKU CODE	MOQ
Dust Extraction Trolley	AS34	53299724122	1



# PRODUCTS AT-A-GLANCE

## DISC



GRIT	BEST				BETTER			GOOD	
	ICE 3000 VELCRO	DRY ICE Q260 VELCRO	DRY ICE A975 VELCRO	H875/ R809	A275 VELCRO	A275 PSA	A275 PLAIN	A216 VELCRO	A216 PSA DISC ROLL
<b>3" Disc</b>									
3000	✓	-	-	-	-	-	-	-	-
P1500	✓	-	-	-	-	-	-	-	-
P1200	-	✓	-	-	-	-	-	-	-
P1000	-	✓	-	-	-	-	-	-	-
P800	-	-	-	-	✓	-	-	-	-
P600	-	-	-	-	✓	-	-	-	-
P400	-	-	-	-	✓	-	-	-	-
<b>5" Disc</b>									
P400	-	-	-	-	✓	-	-	-	-
P320	-	-	-	-	✓	-	-	-	-
P220	-	-	-	-	✓	-	-	-	-
P180	-	-	-	-	✓	-	-	-	-
P150	-	-	-	-	✓	-	-	-	-
P120	-	-	-	-	✓	-	-	-	-
P100	-	-	-	-	✓	-	-	-	-
P80	-	-	-	-	✓	-	-	-	-
P60	-	-	-	-	-	-	-	-	-
<b>6" Disc</b>									
3000	✓	-	-	-	-	-	-	-	-
P1500	✓	✓	-	-	-	-	-	-	-
P1200	-	✓	-	-	-	-	-	-	-
P1000	-	✓	✓	-	✓	-	-	-	-
P800	-	-	✓	-	✓	-	-	-	-
P600	-	-	✓	-	✓	-	-	-	-
P500	-	-	✓	-	✓	-	-	-	-
P400	-	-	✓	-	✓	✓	-	✓	✓
P320	-	-	✓	-	✓	✓	-	✓	✓
P280	-	-	-	-	✓	✓	-	-	-
P240	-	-	-	-	✓	✓	-	-	-
P220	-	-	-	-	✓	✓	-	✓	✓
P180	-	-	-	-	✓	✓	-	✓	✓
P150	-	-	-	-	✓	✓	-	✓	✓
P120	-	-	-	-	✓	✓	-	✓	✓
P100	-	-	-	-	✓	✓	-	✓	✓
P80	-	-	-	✓	✓	✓	-	✓	✓
P60	-	-	-	-	-	-	-	-	-
<b>Body File</b>									
P320	-	-	✓	-	-	-	-	-	-
P220	-	-	✓	-	✓	-	-	-	-
P180	-	-	✓	-	✓	-	-	-	-
P150	-	-	✓	-	✓	-	-	-	-
P120	-	-	-	✓	✓	-	-	-	-
P100	-	-	-	✓	✓	-	-	-	-
P80	-	-	-	✓	✓	-	-	-	-
<b>BACKING</b>	Foam	Film	B & C weight latex hi-tear paper	B wt latex hi-tear paper	B wt latex hi-tear paper	B & C weight latex paper	B & C weight latex paper	B & C weight latex paper	B & C weight latex paper
<b>GRAIN</b>	A/O	A/O	SG Ceramic Alumina	Premium Heat Treated A/O	Premium Heat Treated A/O	Aluminum Oxide	Aluminum Oxide	Aluminum Oxide	Aluminum Oxide
<b>WET/DRY</b>	Moist	Dry	Dry or Moist	Dry or Moist	Dry or Moist	Dry	Dry	Dry	Dry

\*Non-Stock

## SHEET ROLLS



	BETTER	GOOD
<b>BACKING</b>	B wt latex paper	C wt latex paper
<b>GRAIN</b>	Heat treated A/O	A/O

DESCRIPTION	A275	A216
<b>115/100mm Roll</b>		
P400	✓	✓
P320	✓	✓
P220	✓	✓
P180	✓	✓
P150	✓	✓
P120	✓	✓
P100	✓	✓
P80	✓	✓

# AUTOMOTIVE AFTERMARKET REFINISHING PRODUCTS

Norton is 100% committed to bringing the **best performing products** to body shops at a **fair price**.

You can test Norton products in your shop when it's convenient for you. Simply let your Norton salesperson know when you'd like to test Norton in your shop. Our program allows the technicians do their regular work, without interruption, using Norton products at no cost in "real world" conditions. You're the final judge of performance. At the end of the day, the Norton salesperson will review the results, provide you with potential cost savings and convert the shop to Norton products if you like what you see.

There has never been a better time to look at ways to **increase productivity** and to **reduce costs** at absolutely no risk to you. If you'd like to take a test drive please email [helpdesk.coated@saint-gobain.com](mailto:helpdesk.coated@saint-gobain.com)

**GRINDWELL NORTON LTD.,**  
Devanahalli Road, Off Old Madras Road,  
Bengaluru-560 049, Karnataka.  
Tel.: 080- 30978888 / 28472900

**BRANCH OFFICES**  
Ahmedabad : 079-66052564 | Bengaluru : 080-25588360 / 94004  
Chennai : 044-28252370 / 0336 / 0797 | Hyderabad : 040-27713040  
Jamshedpur : 0657-2228415 / 8432 / 2232278 | Kolkata : 033-40037837 / 838 / 840 / 844  
Ludhiana : 0161-2423650 | Mumbai : 022-40132578-90 | Noida : 0120-4061800-99  
Pune : 020-25510891 / 92 / 94